



1964.5-1979 Ford 8"

1964.5-1979 Ford 9"

Ford 8"

Ford 8" Ring & Pinions	Performance
3.00	F880300
3.25	F880325
3.40	F880340
3.55	F880355
3.80	F880380
4.11	F880411

Ford 8" Master Installation Kits

Kit with Koyo Bearings	RA310RMK
Kit with Timken Bearings	RA310RMKT
Kit with Koyo for Aftermarket carriers	RA310RAMK
Kit with Timken for Aftermarket carriers	RA310RAMKT

PowerTrax Differentials

Ford 8" 28-spline	Lock-Right	1810-LR
	No-Slip	9206802800
	Grip LS	LS108028
	Grip PRO	GT108028

Ford 8" Master Installation Kits

Kit with Koyo Bearings	RA310RMK
Kit with Timken Bearings	RA310RMKT
Kit with Koyo for Aftermarket carriers	RA310RAMK
Kit with Timken for Aftermarket carriers	RA310RAMKT

PowerTrax Differentials

Ford 8" 28-spline	Lock-Right	1810-LR
	No-Slip	9206802800
	Grip LS	LS108028
	Grip PRO	GT108028

Ford 9"

Ford 9" Ring & Pinions	Motive Gear	Motive Gear Performance	Performance AX Lightened	Performance PRO 28-spline	Performance PRO 35-spline
3.00	F9-300	F890300			
3.25	F9-325	F890325			
3.50	F9-350	F890350		F990350SP	
3.64		F890364			
3.70	F9-370	F890370		F990370SP	F990370BP
3.75		F890375			
3.80		F890380N			
3.89	F9-389	F890389		F990389SP	F990389BP
4.00		F890400N			
4.11	F9-411	F890411			F990411BP
4.30		F890430		F990429SP	F990429BP
4.56	F9-456	F890457		F990457SP	F990457BP
4.71				F990471SP	
4.78			F890478AX		
4.86	F9-486	F890486			F990486BP

Ford 9"

Ford 9" Bearing kits

2.89" Stock support-T/L Bolts-Timken	R9R28MKTP
2.89" Stock support-Open Bolts-Koyo	R9R28MK
2.89" Stock support-Open Bolts-Koyo	R9RMK
2.89" Stock support-Open Bolts-Timken	R9RMKT
2.89" Stock support-T/L Bolts-Koyo	R9RMKP
2.89" Daytona support-Open Bolts-Timken	R9RNMK
3.06" Stock support-Open Bolts-Timken	R9R306SMK
3.06" Stock support-T/L Bolts-Timken	R9RSMKTP
3.06" Daytona support-Open Bolts-Timken	R9R306MK
3.06" Daytona support-T/L Bolts-Timken	R9R306MKTP
3.25" Stock Support-Open Bolts-Timken	R9R325SMK
3.25" Daytona Support-Open Bolts-Timken	R9R325MK

Motive Gear Spools

Mini spool F9" 28-spline	MS9-28
Mini spool F9" 31-spline	MS9-31
Full spool F9" 28-spline	FS9-28LW
Full spool F9" 31-spline	FS9-31LW
Full spool F9" 35-spline	FS9-35LW

Ford 9"

	28 Spline	31 Spline	35-spline-30 degree pres-sure angle	35-spline-45 degree pres-sure angle	Performance PRO 35-spline
Grip LS		LS109031			
Grip PRO	GT109028	GT109031	GT109035	GT109035-45	
Grip LOK	LK109028	LK109031			
Lock-Right	1810-LR	1810-LR			
No-Slip	9206802800	9206903100			F990370BP



1979-1993 Third-Gen. Fox

1994-1998 Fourth-Gen. SN-95

Ford 7.5"

Ford 7.5" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F7.5-308		
3.45	F7.5-345		
3.73	F7.5-373		
4.10	F7.5-410		
4.56		F875456	

Ford 7.5" Master Installation Kits

Kit with Koyo Bearings	R7.5FRMK
Kit with Timken Bearings	R7.5FRMKT

Ford 7.5" TEN Factory Axles

TEN Factory
28-spline 29" 4 lug
28-spline 29" 5 lug

Ford 7.5" PowerTrax Differentials

Lock-Right
For 28-spline

Ford 8.8"

Ford 8.8" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F8.8-308		
3.27	F8.8-327		
3.31		F888331	
3.55	F8.8-355	F888355	
3.73	F8.8-373	F888373	
3.90		F888390	F988390
4.10	F8.8-410	F888410	
4.30		F888430	
4.56	F8.8-456	F888456	
4.88	F8.8-488	F888488	
5.14		F888514	
5.71		F888571	

Ford 8.8" Master Installation Kits

Kit with Koyo Bearings	R8.8RMK
Kit with Timken Bearings	R8.8RMKT

Ford 8.8" Motive Gear Spools

Mini-Spool for 28-spline	MS88-28
Mini-Spool for 31-spline 7/8" cross pin	MS88-31
Full Spool for 31-spline	FS8.8-31

Ford 8.8" PowerTrax Differentials

Lock-Right	No-Slip (Open-Diff Only)
28-spline	1820-LR 9206882807
	Grip LS Grip PRO
31-spline	LS108831 GT108831

Ford 8.8" TEN Factory Axles

TEN Factory
28-spline 29" 4 lug
28-spline 29" 5 lug
31-spline 29" 4 lug
31-spline 29" 5 lug

Ford 7.5"

Ford 7.5" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F7.5-308		
3.45	F7.5-345		
3.73	F7.5-373		
4.10	F7.5-410		
4.56		F875456	

Ford 7.5" Master Installation Kits

Kit with Koyo Bearings	R7.5FRMK
Kit with Timken Bearings	R7.5FRMKT

Ford 7.5" TEN Factory Axles

TEN Factory
28-spline 29.94" 5 lug

Ford 7.5" PowerTrax Differentials

Lock-Right
For 28-spline

Ford 8.8"

Ford 8.8" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F8.8-308		
3.27	F8.8-327		
3.31		F888331	
3.55	F8.8-355	F888355	
3.73	F8.8-373	F888373	
3.90		F888390	F988390
4.10	F8.8-410	F888410	
4.30		F888430	
4.56	F8.8-456	F888456	
4.88	F8.8-488	F888488	
5.14		F888514	
5.71		F888571	

Ford 8.8" Master Installation Kits

Kit with Koyo Bearings	R8.8RMK
Kit with Timken Bearings	R8.8RMKT

Ford 8.8" Motive Gear Spools

Mini-Spool for 28-spline	MS88-28
Mini-Spool for 31-spline with 7/8" cross pin	MS88-31
Full Spool for 31-spline	FS8.8-31

Ford 8.8" PowerTrax Differentials

Lock-Right	No-Slip (Open-Diff Only)
For 28-spline	1820-LR 9206882807
	Grip LS Grip PRO
For 31-spline	LS108831 GT108831

Ford 8.8" TEN Factory Axles

TEN Factory
28-spline 29.94" 5 lug
31-spline 29.94" 5 lug



1999-2004 Fourth Gen. New Edge

2005-2014 Fifth Gen. S-197

Ford 7.5"

Ford 7.5" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F7.5-308		
3.45	F7.5-345		
3.73	F7.5-373		
4.10	F7.5-410		
4.56		F875456	

Ford 7.5" Master Installation Kits

Kit with Koyo Bearings	R7.5FRMK
Kit with Timken Bearings	R7.5FRMKT

Ford 7.5" TEN Factory Axles

28-spline 30.63" 5 lug	MG22186
------------------------	---------

Ford 7.5" PowerTrax Differentials

For 28-spline	1830-LR
---------------	---------

Ford 8.8"

Ford 8.8" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F8.8-308		
3.27	F8.8-327		
3.31		F888331	
3.55	F8.8-355	F888355	
3.73	F8.8-373	F888373	
3.90		F888390	F988390
4.10	F8.8-410	F888410	
4.30		F888430	
4.56	F8.8-456	F888456	
4.88	F8.8-488	F888488	
5.14		F888514	
5.71		F888571	

Ford 8.8" Master Installation Kits

Kit with Koyo Bearings	R8.8RMK
Kit with Timken Bearings	R8.8RMKT

Ford 8.8" Motive Gear Spools

Mini-Spool for 28-spline	MS88-28
Mini-Spool for 31-spline 7/8" cross pin	MS88-31
Full Spool for 31-spline	FS8.8-31

Ford 8.8" PowerTrax Differentials

For 28-spline	Lock-Right	No-Slip (Open-Diff Only)
	1820-LR	9206882807
For 31-spline	Grip LS	Grip PRO
	LS108831	GT108831

Ford 8.8" TEN Factory Axles

28-spline 30.63" 5 lug	MG22186
31-spline 30.63" 5 lug	MG22187

Ford 7.5"

Ford 7.5" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F7.5-308		
3.45	F7.5-345		
3.73	F7.5-373		
4.10	F7.5-410		
4.56		F875456	

Ford 7.5" Master Installation Kits

Ford 7.5" 2005-10 - Koyo	R7.5FRMK
Ford 7.5" 2005-10 - Timken	R7.5FRMKT

Ford 7.5" PowerTrax Differentials

Ford 7.5" 28-spline 2005-10	1830-LR
-----------------------------	---------

Ford 7.5" PowerTrax Differentials

For 28-spline	1830-LR
---------------	---------

Ford 8.8"

Ford 8.8" Ring & Pinions	Motive Gear	Performance	PRO Gears
3.08	F8.8-308		
3.27	F8.8-327		
3.31		F888331	
3.55	F8.8-355	F888355	
3.73	F8.8-373	F888373	
3.90		F888390	F988390
4.10	F8.8-410	F888410	
4.30		F888430	
4.56	F8.8-456	F888456	
4.88	F8.8-488	F888488	
5.14		F888514	
5.71		F888571	

Ford 8.8" Master Installation Kits

2005-09 - With Koyo Bearings	R8.8RMK
2005-09 - With Timken Bearings	R8.8RMKT
2010-14 - With Koyo Bearings	R8.8RLMK

Ford 8.8" Motive Gear Spools

Mini-Spool for 28-spline	MS88-28
Mini-Spool for 31-spline 7/8" cross pin	MS88-31
Full Spool for 31-spline	FS8.8-31

Ford 8.8" PowerTrax Differentials

Ford 8.8" 28-spline	Lock-Right	No-Slip (Open-Diff Only)
	1820-LR	9206882807
Ford 8.8" 31-spline	Grip LS	Grip PRO
	LS108831	GT108831

Ford 8.8" TEN Factory Axles

2005-14 Mustang GT 31-spline 5 lug	MG22189
2011-14 Mustang V6 31-spline 5 lug	MG22189



Motive Gear Bearing Kits

Motive Gear assembles and stocks more differential, manual transmission, and transfer case bearing kits than any other supplier in the country (over 1,000 part numbers)! We can provide you with individual bearings and seals, including: tapered, roller, cylindrical, and ball bearings - in all of the quality brands that you know and trust. Our bearing kits feature high quality brands like Timken and Koyo.

Master Kits, seal and gasket kits, installation kits, gasket-only kits, you name it, Motive Gear can supply it!



Motive Gear Spools and Cases

Motive Gear designs, engineers and produces a full line of mini and full spools for performance applications including AMC, Chrysler, Dana, Ford, GM, and Toyota. These high quality spools are manufactured using only 4140 high strength steel, and are available in a variety of axle splines.

Cases are also available from Motive Gear, for both open and posi-traction applications. Motive Gear cases are available both empty and loaded.



Motive Gear Yokes

Yoke packages come complete with everything you need to install them in your vehicle, including: hardened grade-8 locknut, washer, and chromoly u-bolts. All Motive Gear billet chromoly yokes are 4120 or 4240H bar stock, computer-controlled heat treated to 34-38 Rockwell® C. All true billet yokes have the finest and most consistent quality hardened steel available.



For over 60 years, Motive Gear has supplied quality axle shafts for light duty, medium duty, off road and high performance applications! In order to provide the automotive and light truck marketplace with even more options every year, we created TEN Factory axles. All stock performance axle shafts by Motive Gear are quality replacements for original manufacturer's equipment, while TEN Factory's line of performance axles provide more options in chromoly steel.


Check out www.TenFactory.com and www.MotiveGear.com



Manual Transmissions, Transfer Cases & Related Parts

Motive Gear stocks a complete line of manual transmission and transfer case parts for most popular models. We have new and rebuilt car and light truck transmissions with 2, 3, 4, 5, and 6 speed units included in our inventory.

See www.MotiveGear.com for more information or call us at (800) 934-2727.



Internal Kits

Motive Gear supplies and stocks a full line of mini and full Motive Gear supplies internal kits for open and posi-traction differentials.

Open Differential:

Side gears, side gear washers, pinion gears, pinion gear washers, pinion shaft and lock bolt or roll pin.

Posi Differential:

Side gears, side gear washers, pinion gears, pinion gear washers, pinion shaft, pinion block (where applicable), lock bolt or roll pin and clutches or posi plates and retainers (where applicable).